

Water Conditions Report


Board of Directors Meeting
January 26, 2026



2025 SGPWA Portfolio @ 50%


Source	Total (AF)	Delivered
SWP – Carryover	1,217	✓
SWP – Table A	8,050	✓
SWP – Ventura	5,000	✓
Non-SWP - Nickel Water	1,700	✓
City of Yuba City Purchase	3,000	✓
2013 CLAWA Return Water	600	✓
Total Available Supply	19,567	19,523

SGPWA SWP Deliveries in 2025 (AF)



2025 Water Delivery Overview





	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Total
Recharge	53	1,034	2,306	1,973	1,515	2,052	1,789	2,132	2,458	2,026	1,509	43	18,890
Direct	0	0	13	0	0	0	0	0	0	0	7	13	33

*Estimated
*From Local Storage



Local Deliveries 2025 (acre-feet)

Subject to Final Verification






Northern Sierra 8-Station

Precipitation Index for Water Year 2026 – Updated on January 21, 2026 02:48 PM

Note: Monthly totals may not add up to seasonal total because of rounding

Water Year Monthly totals are calculated based on Daily precipitation data from 12am to 12am PST




State Precipitation Stations – North Sierra




CURRENT CONDITIONS: MAJOR WATER SUPPLY RESERVOIRS: 20-JAN-2026

Data as of Midnight: 20-Jan-2026



San Luis Res Levels: Various Past Water Years and Current Water Year, Ending At Midnight January 20, 2026




Current Reservoir Conditions

6-Day Forecast Precipitation

Wed Jan 21, 2026 4 AM PST to Tue Jan 27, 2026 4 AM PST Issued Jan 21, 2026 6:11 AM PST


River Forecast Center
Sacramento, CA



6-Day Forecast Precipitation

Wed Jan 21, 2026 4 AM PST to Tue Jan 27, 2026 4 AM PST Issued Jan 21, 2026 6:12 AM PST

River Forecast Center
Sacramento, CA



Forecasted Hydrologic Conditions



CURRENT REGIONAL SNOWPACK FROM AUTOMATED SNOW SENSORS

% of April 1 Average / % of Normal for This Date



NORTH	
Data as of January 21, 2026	
Number of Stations Reporting	33
Average snow water equivalent (Inches)	7.3
Percent of April 1 Average (%)	27
Percent of normal for this date (%)	51

CENTRAL	
Data as of January 21, 2026	
Number of Stations Reporting	54
Average snow water equivalent (Inches)	10.2
Percent of April 1 Average (%)	37
Percent of normal for this date (%)	68

SOUTH	
Data as of January 21, 2026	
Number of Stations Reporting	26
Average snow water equivalent (Inches)	11.7
Percent of April 1 Average (%)	47
Percent of normal for this date (%)	87

STATE	
Data as of January 21, 2026	
Number of Stations Reporting	113
Average snow water equivalent (Inches)	9.7
Percent of April 1 Average (%)	36
Percent of normal for this date (%)	67

Statewide Average: 36% / 67%



Snowpack Report



SWP Allocation Timeline


2025 Table A Allocation: 50% allocation

2026 Table A Allocation Timeline


December 1, 2025: 10% allocation

SGPWA Portfolio @ 10%		
Source	Total (AF)	Delivered
SWP – Carryover	50	✓
SWP – Table A	1,730	
SWP – Ventura	1,000	?
Non-SWP - Nickel Water	1,700	
Total Available Supply	4,480	

Historic SWP Allocations



2026 SWP Allocation & Portfolio Update




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Total
Recharge	1,200	-	-	-	-	-	-	-	-	-	-	-	1,200
Direct	0	-	-	-	-	-	-	-	-	-	-	-	0




Local Deliveries 2026 (acre-feet)

Subject to Final Verification



*Estimated

*From Local Storage



Brookside East Recharge Facility



BCVWD Recharge Facilities



January Recharge Photos

